

Revision date: 2023/06/10 Page: 1/12 Version: 6.0 (30603665/SDS_CPA_CA/EN)

1. Identification

Product identifier used on the label

Xzemplar

Recommended use of the chemical and restriction on use

Recommended use*: crop protection product, fungicide

Details of the supplier of the safety data sheet

Company:

BASF Agricultural Solutions Canada Inc. 510, 28 Quarry Park Boulevard SE, Calgary, AB, T2C 5P9 CANADA

Telephone: +1 (403) 523-3000

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: (800) 454-COPE (2673)

Other means of identification

PCP # 33778

Synonyms: Fluxapyroxad

2. Hazards Identification

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Classification of the product

Repr. Add. cat. lact. Reproductive toxicity

Aquatic Acute 1 Hazardous to the aquatic environment - acute Aquatic Chronic 1 Hazardous to the aquatic environment - chronic

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Xzemplar

Revision date: 2023/06/10 Page: 2/12 Version: 6.0 (30603665/SDS_CPA_CA/EN)

Label elements

Hazard Statement:

H362 May cause harm to breast-fed children.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P273 Avoid release to the environment.
P260 Do not breathe dust or mist.

P263 Avoid contact during pregnancy and while nursing.
P270 Do not eat, drink or smoke when using this product.
P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response): P391 Collect spillage.

P308 + P313 IF exposed or concerned: Get medical attention.

Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with local regulations.

3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Fluxapyroxad

CAS Number: 907204-31-3 Content (W/W): 26.55 %

Synonym: 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-1H-

pyrazole-4-carboxamide

Propylene glycol

CAS Number: 57-55-6 Content (W/W): 7.0 - 10.0%

Synonym: 1,2-Propanediol; Propylene glycol

Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt

Content (W/W): 1.0 - 3.0% Synonym: No data available.

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts

CAS Number: 68425-94-5 Content (W/W): 3.0 - 5.0%

Synonym: Residues (petroleum), catalytic reformer fractionator,

sulfonated, polymers with formaldehyde, sodium salts

4. First-Aid Measures

Description of first aid measures

Xzemplar

Revision date: 2023/06/10 Page: 3/12 Version: 6.0 (30603665/SDS_CPA_CA/EN)

General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

If in eyes

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. If irritation develops, seek medical attention.

If swallowed:

Immediate medical attention required. Do not give solids or liquids. Do not induce vomiting unless told to by a poison control center or doctor. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, carbon dioxide, foam, dry powder

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, hydrogen fluoride, Hydrogen chloride, hydrogen bromide, nitrogen oxides, halogenated compounds, silica compounds

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

Revision date: 2023/06/10 Page: 4/12 Version: 6.0 (30603665/SDS_CPA_CA/EN)

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Protect contents from the effects of light. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination.

Protect from temperatures below: 0 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Revision date: 2023/06/10 Page: 5/12 Version: 6.0 (30603665/SDS_CPA_CA/EN)

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

Fluxapyroxad TWA value 0.5 mg/m3;

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Remove contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: liquid

Odour: faint odour, fruity

Odour threshold: Not determined due to potential health hazard by inhalation.

Colour: off-white, pink tint

Xzemplar

Revision date: 2023/06/10 Page: 6/12 Version: 6.0 (30603665/SDS CPA CA/EN)

pH value: (pH Meter) approx. 6 - 8

(1 %(m), 20 °C)

crystallization approx. -5.5 °C (measured)

temperature:

Boiling point: approx. 100 °C

Information applies to the solvent.

(Directive Flash point: > 100 °C

92/69/EEC, A.9, No flash point - Measurement made up to the indicated temperature, pilot closed cup)

light extinguishes.

Flammability: not applicable

> 650 °C Autoignition: (Directive

92/69/EEC, A.15)

approx. 23 hPa Vapour pressure:

(20°C)

Information applies to the solvent.

Partitioning coefficient n-

not applicable octanol/water (log Pow):

Thermal decomposition: 305 °C, 90 kJ/kg (DSC (OECD 113))

(onset temperature)

395 °C, 20 kJ/kg (DSC (OECD 113))

(onset temperature)

carbon monoxide, carbon dioxide, nitrogen oxide, nitrogen dioxide, hydrogen fluoride, halogenated hydrocarbons Stable at ambient temperature. If product is heated above decomposition temperature, toxic vapours will be released.

Viscosity, dynamic: 39 mPa.s (OECD 114)

(20°C)

dispersible Solubility in water: Evaporation rate: not applicable

Other Information: The product has not been tested. The statement has been

derived from substances/products of a similar structure or

composition.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

not fire-propagating (Directive 2004/73/EC, A.21)

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

The product is chemically stable.

Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Xzemplar

Revision date: 2023/06/10 Page: 7/12 Version: 6.0 (30603665/SDS_CPA_CA/EN)

Incompatible materials

strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

305 °C, 2.5 K/min (DSC (OECD 113))

(onset temperature)

395 °C, 2.5 K/min (DSC (OECD 113))

(onset temperature)

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen oxide, nitrogen dioxide, hydrogen fluoride, halogenated hydrocarbons

Stable at ambient temperature. If product is heated above decomposition temperature, toxic vapours will be released.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Slightly toxic after single ingestion. Relatively nontoxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

Oral

Type of value: LD50 Species: rat (female)

Value: > 2,000 mg/kg (OECD Guideline 423)

No mortality was observed.

Inhalation

Type of value: LC50 Species: rat (male/female)

Value: > 5.9 mg/l (OECD Guideline 403)

Exposure time: 4 h

An aerosol with respirable particles was tested.

No mortality was observed.

Dermal

Type of value: LD50 Species: rat (male/female)

Value: > 5,000 mg/kg (OECD Guideline 402)

No mortality was observed.

Assessment other acute effects

Xzemplar

Revision date: 2023/06/10 Page: 8/12 Version: 6.0 (30603665/SDS_CPA_CA/EN)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: Not irritating to eyes and skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Skin

Species: rabbit Result: non-irritant

Method: OECD Guideline 404

<u>Eye</u>

Species: rabbit Result: non-irritant

Method: OECD Guideline 405

Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

Buehler test

Species: guinea pig Result: Non-sensitizing. Method: OECD Guideline 406

Aspiration Hazard

not applicable

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fluxapyroxad

Assessment of repeated dose toxicity: Adaptive effects were observed after repeated exposure in animal studies.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fluxapyroxad

Assessment of mutagenicity: No mutagenic effect was found in various tests with microorganisms and mammalian cell culture. The substance was not mutagenic in studies with mammals.

Carcinogenicity

Xzemplar

Revision date: 2023/06/10 Page: 9/12 Version: 6.0 (30603665/SDS_CPA_CA/EN)

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fluxapyroxad

Assessment of carcinogenicity: Indication of possible carcinogenic effect in animal tests. The effect is caused by an animal specific mechanism that has no human counter part.

oddodd by arr armnar opdomo modnamom that m

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fluxapyroxad

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility

impairing effect. May cause harm to children via breast-feeding.

Teratogenicity

Assessment of teratogenicity: Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from the properties of the individual components.

Other Information

Misuse can be harmful to health.

Medical conditions aggravated by overexposure

Individuals with pre-existing diseases of the respiratory system, skin or eyes may have increased susceptibility to excessive exposures.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic (acute effect) to fish. There is a high probability that the product is not acutely harmful to aquatic invertebrates. Acutely harmful for aquatic plants.

Toxicity to fish

Information on: Fluxapyroxad

LC50 (96 h) 0.29 mg/l, Cyprinus carpio (Fish test acute, semistatic)

LC50 (96 h) 0.546 mg/l, Oncorhynchus mykiss (OECD Guideline 203, static) LC50 (96 h) 1.15 mg/l, Lepomis macrochirus (OECD Guideline 203, static)

LC50 (96 h) 0.466 mg/l, Pimephales promelas (OECD Guideline 203, static)

Aquatic invertebrates

Information on: Fluxapyroxad

EC50 (48 h) 6.78 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Aquatic plants

Xzemplar

Revision date: 2023/06/10 Page: 10/12 Version: 6.0 (30603665/SDS CPA CA/EN)

Information on: Fluxapyroxad

EC50 (72 h) 0.70 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

EC50 (96 h) 0.66 mg/l (growth rate), Pseudokirchneriella subcapitata EC10 (72 h) 0.31 mg/l (growth rate), Pseudokirchneriella subcapitata EC10 (96 h) 0.36 mg/l (growth rate), Pseudokirchneriella subcapitata

Chronic toxicity to fish

Information on: Fluxapyroxad

No observed effect concentration (33 d) 0.0359 mg/l, Pimephales promelas (OECD Guideline 210,

Flow through.)

Chronic toxicity to aquatic invertebrates

Information on: Fluxapyroxad

No observed effect concentration (21 d) 0.5 mg/l, Daphnia magna (OECD Guideline 211, semistatic)

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

See product label for disposal and recycling instructions.

Container disposal:

Rinse the container or liner as needed for disposal. Add rinsate to spray tank. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers. Consult the product label for additional details.

14. Transport Information

Land transport

TDG

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Hazard class: 9
Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM Marine pollutant: YES

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains FLUXAPYROXAD)

Xzemplar

Revision date: 2023/06/10 Page: 11/12 Version: 6.0 (30603665/SDS_CPA_CA/EN)

Air transport

IATA/ICAO

Hazard class: 9
Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains FLUXAPYROXAD)

Further information

Exempt from regulation when transported by road or rail, in accordance with TDG Regulations 1.45.1. This exemption provides that this product does not require dangerous goods shipping documentation or safety marks when transported on land by road or rail.

15. Regulatory Information

Federal Regulations

Registration status:

Crop Protection DSL, CA released / exempt

NFPA Hazard codes:

Health: 2 Fire: 1 Reactivity: 0 Special:

Labeling requirements under Pest Control Products Act

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product regulated by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:

WARNING:

Contains the allergen soy.

KEEP OUT OF REACH OF CHILDREN.

HARMFUL IF SWALLOWED.

Avoid contact with the skin, eyes and clothing.

Wash thoroughly after handling.

DO NOT enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

Wear a long-sleeved shirt, long pants, chemical resistant gloves, shoes and socks during mixing, loading, application, clean up and repair.

Wear protective eyeware (goggles or face shield).

Keep and wash personal protective equipment separately from other laundry.

Apply only to agricultural crops when the potential for drift to areas of human habitation and areas of human activity such as houses, cottages, schools and recreational areas is minimal.

Take into consideration wind speed, wind direction, temperature inversions, application equipment and sprayer settings.

Revision date: 2023/06/10 Page: 12/12 Version: 6.0 (30603665/SDS_CPA_CA/EN)

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

16. Other Information

SDS Prepared by:

BASF Agricultural Solutions Canada NA Product Regulations SDS Prepared on: 2023/06/10

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

END OF DATA SHEET